




BRAVIA Professional Displays

2023 Lineup Brochure

and roid tv



The four pillars of performance, Unifying our solutions with your business needs


Our new lineup of BRAVIA Professional Displays incorporates all the picture quality, installation flexibility, robust usability and sustainability requirements needed for today's commercial applications.

Picture Quality

In addition to Sony's unique picture processing, wide color gamut, and high-contrast technologies, our new Deep Black Non-Glare Coating technology minimizes glare with impressive image quality.

*Deep Black Non-Glare Coating in BZ40L Series only





Installation Flexibility

Available in a wide range of sizes and ever-evolving installation flexibility, to fit a variety of spaces.

Robust Usability

Packed with useful functions, purpose-driven applications, and customized settings to make daily operations more efficient.






Sustainability

Making it, moving it, using it more efficiently: improving multiple aspects across the product life cycle, such as reduction of virgin plastic, improvement of transportation efficiency, and review of power consumption during use.

Picture Quality

*BZ40L feature



Non-glare coating

Sony's Deep Black Non-Glare Coating is a big step forward in panel technology, reducing screen reflection without compromising image brightness, contrast, detail and clarity. The result: bright, attention-grabbing pictures with rich colors and deep blacks that are seen clearly from any angle.

One chip, incredibly real images

Cognitive Processor XR™

The Cognitive Processor XR™ chip analyzes and recreates content based on human sight and hearing, to deliver pictures with the utmost depth and reality.



4K HDR Processor X1[™]

With Object-based HDR remaster and Super Bit Mapping 4K HDR technology, our new 4K HDR Processor X1 reproduces more depth, textures and natural colors than our 4K Processor X1. You'll see pure colors at higher brightness levels for exceptionally realistic pictures.



*In BZ50L Series only





Improve sales promotions with striking picture quality



Communicate effectively with detailed text and graphics


Installation Flexibility

In addition to landscape, portrait, and tilt installation, BRAVIA Pro Displays can be used with mobile stands for effective use of space, and ceiling mounted for digital signage.

Special installations such as easel stands, and multi-display installations are also possible.









Easel stand






Casing stand

Multiple displays



Consistent lineup design

The design of the BZ-L series displays is standardized, allowing for uniformity when mixing models. Wiring is also standardized, making installation easier.



Consistent platform

The BZ-L Series' SoC and Android OS platform are common across all series, allowing for simple installation.

* 24/7 Operation



24/7 Operation

Business never sleeps: BRAVIA is engineered for dependable 24/7 operation in the most challenging corporate and commercial environments.



Side logo position

The Sony logo is positioned on the top right side of the display bezel, so nothing distracts your audience from immersive images.

Robust Usability

High Performance SoC


Equipped with a high performance SoC, high-resolution video can be played smoothly and easy to display interactive signage content without the need for a dedicated set-top box, media player or PC.





Pro Settings

When it comes to business, we know there's no such thing as "one size fits all." That's why our BZ-L series comes with our Pro Mode technology as standard – giving you multiple customization options at the touch of a button.



Sony Signage Solution

On-board BRAVIA Signage Free (BSF) software automatically plays out HTML content, video and photos.



Partner Solutions

We work closely with top companies to add even more value to our innovative AV products, for networking, device management, automation, digital signage, and more.

HTML5



Flexible content layout with HTML5

The BZ Series offers built-in support for the HTML5 application platform, so it's possible to use HTML5 interactive signage content without requiring a set-top box or PC.

The content screen can be freely laid out using the 4K video, pictures, or even with a HDMI input.

Mirroring



Wireless screen mirroring

Easily mirror content wirelessly from a handheld device onto BRAVIA with in-built support for Apple AirPlay and Chromecast built-in.

IP control



Remote control for multiple display BRAVIA Pro Displays offer IP control with many display features like switching input sources via IP. Both HTML5 and Android apps running on the display can send IP control commands to the display and can be run from external IP-enabled devices.

Making it, moving it, and using it more efficiently: Advanced engineering for sustainability

To reduce environmental impact, we are focused on multiple aspects across the product life cycle, such as reduction of virgin plastic, improvement of transportation efficiency, and more efficient power consumption.






STEP 1 Making it

Towards closed loop with repeated recyclability

One advantage of SORPLAS[™] is that it won't degrade too much even after being recycled several times.


Recycled SORPLAS[™] parts have the potential to reduce the volume of waste and contribute toward a recycle-oriented society. * All BZ-L series include Sony's SORPLUS recycled plastic



STEP 2 Moving it

Cutting CO2 with smaller and lighter Packing

By reengineering the packaging that protects the product during shipping, we cut the package size by 15% and total weight by 10%. This increases the number of units on one pallet by approximately 1.3 times. As a result, CO2 emissions per unit from product transportation have been reduced by apporoximately 15%.




STEP 3 Using it

All your energy-saving settings in one place

With the flexible and configurable Eco Dashboard, energy saving settings can now be centrally managed.

You can easily customize energy saving settings for your usage, viewing environment, and the content you are watching, all in one place, and visualize the contribution you are making to reduce environmental impact.



BZ50L

Experience absolute picture quality with Sony's flagship professional 4K display and Sony XR™ processing.





21

98"






Spectacular 780 nit brightness

Brighter is better. In busy retail showrooms or corporate lobbies, 98" BRAVIA shines with an extraordinary 780 nit screen brightness that can't be missed, even in light-flooded spaces. Full Array Local Dimming boosts peak brightness further still to an eye-popping 1500 nits.



Lighten the load

The 98" BRAVIA BZ50L weighs around 21kg (46lbs) less than the previous 100" 100BZ40J model, lightening the load on installation teams.




Safer carrying

Ergonomically positioned lower horizontal handles are easy to grab, making lifting easier and more comfortable.



Easier access

Reduced carton size eases transportation. The ability to carry BRAVIA vertically (portrait style) gives easier access in elevators and stairways.





Cognitive Processor XR™

The world's first picture processor with cognitive intelligence understands how humans really see the world. The 98″ BRAVIA with Cognitive Processor XR[™] opens up an unprecedented viewing experience that immerses you even more deeply in the scene.

BZ40L

Exceptionally bright 4K displays with unique Deep Black Non-Glare technology





Deep Black Non-Glare Coating










Deep Black Non-Glare Coating

Deep Black Non-Glare Coating combines innovative technologies – delivering an unprecedented reduction in both screen glare and reflection that doesn't compromise picture quality.



Anti-Glare

A microscopic unevenness is added to the surface of the display panel. Incident light is diffusely reflected in all directions, becoming a whitish blur that's less noticeable to viewers than sharply reflected light.



Low Reflection

A special coating is added to the surface of the panel. Incident light rays bounce off the surface of the clear layer, as well as the panel surface beneath. Interference between the reflected rays causes cancellation, reducing reflections seen by viewers.

Sony's Deep Black Non-Glare Coating combines anti-glare and low-reflection technologies. Reducing reflections and boosting contrast, it's the key to dynamic visuals bursting with true-to-life color and detail that inspire everyone, from corporate visitors and staff to shoppers and students.

Exquisite images that always stand out

Available in screen sizes from 55" to 85", the BRAVIA BZ40L Series grabs your audience's attention with extremely high 700 nit screen brightness for punchy, high-impact visuals that are always seen clearly.

Advanced Sony picture processing technologies ensure your content looks its very best. The panel's extra wide viewing angle lets everyone in the room enjoy clear, bright images, wherever they're positioned.



Styled to blend with every environment

- BRAVIA Pro Displays come supplied with a Wall-Mount Adjuster, giving extra flexibility for mounting the display centrally in portrait or landscape orientation.
- The Sony logo is discreetly positioned on the edge of the display's beautifully slim bezel with nothing distracting your audience from immersive images.
- Install BRAVIA in portrait or landscape orientation to suit any corporate or retail space. The display can also be tilted at an angle for even greater flexibility.



BZ35L

Enhanced professional displays with 32GB of storage and more robust brightness

ONWE/



COSMETICS

FLOOR





FLOOF

X1

HDG

BRAVIA BZ35L Series grabs your audience's attention with high 550 nit screen brightness for punchy, high-impact visuals that are always seen clearly.

Advanced Sony picture processing technologies ensure your content looks its very best. The panel's extra-wide viewing angle ensures that everyone in the room can enjoy clear, bright images wherever they're positioned.



Large 32GB internal storage

The internal memory on some other displays is eaten up by the operating system, leaving little space for your own apps and content. BRAVIA BZ35L doubles internal storage from 16GB to a generous 32GB – giving loads more room on board to hold apps, photos, videos and digital signage.



Styled to blend with every environment

Chromecast built-in

android tv

- BRAVIA Pro Displays come supplied with a Wall-Mount Adjuster, giving extra flexibility for mounting the display centrally in portrait or landscape orientation.
- The Sony logo is discreetly positioned on the edge of the display's beautifully slim bezel with nothing distracting your audience from immersive images.
- Install BRAVIA in portrait or landscape orientation to suit any corporate or retail space. The display can also be tilted at an angle for even greater flexibility.






BZ30L Daily charts Analysis C Professional 4K displays with Sony X1 processing, Wee Pro-Mode, 24/7 operation, portrait/tilt install supported, Thu AirPlay and Chromecast built-in[™] as well as a complete ber Octobe range of sizes Analysis Analysis 50 43 32" 85 65 01 delet *32"is BZ30J model 100 And Tasti Chromecast built-in androidtv HDG

Latest Sony picture technologies to impress every audience

The BRAVIA BZ30L Series offers a generous 440 nit screen brightness. Advanced Sony picture processing technologies ensure your content looks its very best. The panel's extra-wide viewing angle ensures that everyone in the room can enjoy clear, bright images wherever they're positioned.



Extensive Lineup 32" to 85"

The BZ30 Series offers a range of sizes from 32" to 85" making them ideal for large projects requiring multiple sized displays that deliver the same picture quality, brightness and contrast. *32" is BZ30 model

Styled to blend with every environment

- BRAVIA Pro Displays come supplied with a Wall-Mount Adjuster, giving extra flexibility for mounting the display centrally in portrait or landscape orientation.
- The Sony logo is discreetly positioned on the edge of the display's beautifully slim bezel with nothing distracting your audience from immersive images.
- Install BRAVIA in portrait or landscape orientation to suit any corporate or retail space. The display can also be tilted at an angle for even greater flexibility.





Flexible content layout with HTML5

The BZ Series offers built-in support for the HTML5 application platform, so it's possible to use HTML5 interactive signage content without requiring a set-top box or PC. The content screen can be freely laid out using the 4K video, pictures, or even with a HDMI input.





Wireless screen mirroring

Easily mirror content wirelessly from handheld device onto BRAVIA with in-built support for Apple AirPlay and Chromecast built-in.

BZ50L/BZ40L-series Specifications Flagship / High Brightness-Non Glare

		FW-98BZ50L	FW-85BZ40L	FW-75BZ40L	FW-65BZ40L	FW-55BZ40L				
	Screen Size	98	85	75	65	55				
General features	Brightness (cd/m ²)	780	650	700						
	Contrast Ratio	5000:1	6000:1		1200:1					
	Dynamic Contrast Ratio	700,000:1	500,000:1		600,000:1					
	Response Time (ms)	6.5	15.9		8.0					
	Display resolution (H x V, pixels)		·	3840 x 2160						
	HDR (High Dynamic Range) compatiblity									
	Aspect Ratio	16:9								
	Portrait/Tilt Compatibility			Yes						
	Dimming type	Local Dimming Frame Dimming								
	Display Device	LCD								
	Panel Type	VA IPS								
	Backlight type	Direct (Full Array LED)		Direct						
	TRILUMINOS Display	XR Triluminos Pro		TRILUMIN						
Display features	Color gamut (DCI-P3)	95% 92%								
	Picture Processor	Cognitive Processor XR 4K HDR Processor X1								
	Operation time									
	Deep Black Non-Glare coating	No Yes								
	Haze (%)									
		2% 58% 47%								
	Viewing Angle (Right/Left)	178 (89/89) degree								
	Viewing Angle (Up/Down)			178 (89/89) degree	1. DDO					
	Video Processing		XR 4K Upscaling 4K X-Reality PRO							
	Motion enhancer	XR Motion Clarity Motionflow XR 240 (Native 60Hz)								
Video Specs	HDMI Signal	4096x2160p (24,60Hz), 3840 x 2160p (24, 30, 60, 120Hz), 1080p (24, 30, 60, 120Hz), 1080p (24, 30, 60, 120Hz), 1080i (60Hz), 720p (24, 30, 60Hz), 3840 x 2160p (24, 30, 60Hz), 1080p (24, 30, 60Hz), 1080i (60Hz), 720p (24, 30, 60Hz), 480p 720p (24, 30, 60Hz), 480p								
Audio Specs	Speaker Position	Down Firing + Side Back		Down	Firing					
Audio Specs	Audio Power Output	10W + 10W + 10W + 10W		10W +	10W					
	Pro mode			Yes						
	HDMI auto wake-up			Yes						
Professional	HTML5 platform			Yes						
Professional features	Multicast/IPTV			Yes						
eatures										
eatures	Operating System	Android TV								
eatures	Operating System									
leatures	On-board Storage (GB)			32GB						
	On-board Storage (GB) Wi-Fi Direct			32GB Yes						
	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified			32GB Yes Yes						
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs	MPEG1:MPEG1/MPEG2PS MOV:AVC,MPEG4,MotionJp	:MPEG2/MPEG2TS (HDV,AVCH) eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4	VC,MPEG4,HEVC/AVI:Xvid,Mo 4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPEC				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock	MPEG1:MPEG1/MPEG2PS MOV:AVC,MPEG4,MotionJp	:MPEG2/MPEG2TS (HDV,AVCHi eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC 5):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes	VC,MPEG4,HEVC/AVI:Xvid,Mo 4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPEC				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer	MPEG1:MPEG1/MPEG2PS MOV:AVC,MPEG4,MotionJp	:MPEG2/MPEG2TS (HDV,AVCH eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes	VC,MPEG4,HEVC/AVI:Xvid,Mo 4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPE0				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer	MPEG1:MPEG1/MPEG2PS MOV:AVC,MPEG4,MotionJp	:MPEG2/MPEG2TS (HDV,AVCH eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes	VC,MPEG4,HEVC/AVI:Xvid,Mo 4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPE0				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in	MPEG1:MPEG1/MPEG2PS MOV:AVC,MPEG4,MotionJp	MPEG2/MPEG2TS (HDV,AVCHi eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes	VC,MPEG4,HEVC/AVI:Xvid,Mo 4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPEC				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer	MPEG1:MPEG1/MPEG2PS MOV:AVC,MPEG4,MotionJp	MPEG2/MPEG2TS (HDV,AVCH eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes	VC,MPEG4,HEVC/AVI:Xvid,Mo 4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPE(
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in	MPEG1:MPEG1/MPEG2PS MOV:AVC,MPEG4,MotionJp	MPEG2/MPEG2TS (HDV,AVCH) eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes	VC,MPEG4,HEVC/AVI:Xvid,Mo 4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPEC				
Network Specs Convenience features	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay	MPEG1:MPEG1/MPEG2PS MOV:AVC,MPEG4,MotionJp	MPEG2/MPEG2TS (HDV,AVCH eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes	VC,MPEG4,HEVC/AVI:Xvid,Mo 4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPE0				
Vetwork Specs Convenience eatures	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control	MPEG1:MPEG1/MPEG2PS MOV:AVC,MPEG4,MotionJp	:MPEG2/MPEG2TS (HDV,AVCHi eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes Yes	VC,MPEG4,HEVC/AVI:Xvid,Mo 4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPE0				
Network Specs Convenience reatures	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control	MPEG1:MPEG1/MPEG2PS MOV:AVC,MPEG4,MotionJp	:MPEG2/MPEG2TS (HDV,AVCHi eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes Yes Yes	VC,MPEG4,HEVC/AVI:Xvid,Mo 4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPEd				
Network Specs Convenience features	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP	MOV:AVC,MPEG4,MotionJp	:MPEG2/MPEG2TS (HDV,AVCH eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes	4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPE				
Network Specs Convenience features	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s)	MOV:AVC,MPEG4,MotionJp	MPEG2/MPEG2TS (HDV,AVCH eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes	4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPEr				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total	MOV:AVC,MPEG4,MotionJp	MPEG2/MPEG2TS (HDV,AVCH) eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDMI1/2/3/4) 1 (Side, M 4 (4Side)	4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPEr				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total)	MOV:AVC,MPEG4,MotionJp	:MPEG2/MPEG2TS (HDV,AVCH eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes D:MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDM11/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion)	4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPE				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s)	MOV:AVC,MPEG4,MotionJp	:MPEG2/MPEG2TS (HDV,AVCH eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDMI1/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side)	4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPEr				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s)	MOV:AVC,MPEG4,MotionJp	:MPEG2/MPEG2TS (HDV,AVCH eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDMI1/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side)	4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPEd				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s)	MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack)	eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDMI1/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side)	4,AVC/MP3/ASF (WMA)/LPCM	tionJpeg/ASF(WMV):VC1/ /WAV/MP4AAC/FLAC/JPEr				
	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDDH-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled)	MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm / 23 ^{5/2} x 15 ^{3/4} inch	MPEG2/MPEG2TS (HDV,AVCH) eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDM11/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side) 1 (Side) 30	4,AVC/MP3/ASF (WMA)/LPCM iini jack) 20 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl	/WAV/MP4AAC/FLAC/JPEC				
Network Specs Convenience features Control Specs Inputs and outputs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H)	MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm /	eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDMI1/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side) 1 (Side)	4,AVC/MP3/ASF (WMA)/LPCM iini jack) 20 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl	/WAV/MP4AAC/FLAC/JPE0				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional)	MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm / 23 ^{5/2} x 15 ^{3/4} inch	eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDM11/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side) 1 (Side) 30	4,AVC/MP3/ASF (WMA)/LPCM ini jack) 20 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl	/WAV/MP4AAC/FLAC/JPEr				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wal-mount adjuster (Bundled) "depending on the region. Table-top stand (Optional) "depending on the region.	MOV:AVC,MPEG4,MotionJp MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm / 23 ^{5/8} x 15 ^{3/4} inch No	eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG- Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDMI1/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side) 1 (Side) 30 Ye	4,AVC/MP3/ASF (WMA)/LPCM ini jack) D0 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl s Yes	/WAV/MP4AAC/FLAC/JPEr				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) "depending on the region. Table-top stand (Optional) "depending on the region. On-Mode Power 1000h SDR (Lot 5)	MOV:AVC,MPEG4,MotionJp MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm / 23 ^{5/8} x 15 ^{3/4} inch No 154 kWh/1000h	eg/MKV:Xvid,AVC,MPEG4,VP8 400 x 400 mm / 15 ^{3/4} x 15 ^{3/4} inch No 151 kWh/1000h	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDMI1/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side) 1 (Side) 30 Ye	4,AVC/MP3/ASF (WMA)/LPCM ini jack) 20 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl s Yes 84 kWh/1000h	//WAV/MP4AAC/FLAC/JPEr				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDDH-CEC HDCP Composite Video Input (s) HDI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. On-Mode Power 1000h SDR (Lot 5) Rated Power Consumption	MOV:AVC,MPEG4,MotionJp MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm / 23 ^{5/8} x 15 ^{3/4} inch No 154 kWh/1000h	eg/MKV:Xvid,AVC,MPEG4,VP8 400 x 400 mm / 15 ^{3/4} x 15 ^{3/4} inch No 151 kWh/1000h	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDMI1/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side) 30 Yes	4,AVC/MP3/ASF (WMA)/LPCM ini jack) 20 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl s Yes 84 kWh/1000h	/WAV/MP4AAC/FLAC/JPE				
Network Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDDH-CEC HDCP Composite Video Input (s) HDI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. On-Mode Power Consumption Power Consumption Power Consumption (in Standby) Dynamic Backlight Control	MOV:AVC,MPEG4,MotionJp MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm / 23 ^{5/8} x 15 ^{3/4} inch No 154 kWh/1000h	eg/MKV:Xvid,AVC,MPEG4,VP8 400 x 400 mm / 15 ^{3/4} x 15 ^{3/4} inch No 151 kWh/1000h	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDM11/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side) 1 (Side) 33 Yes Yes 106 kWh/1000h 299 W 0.5 W Yes	4,AVC/MP3/ASF (WMA)/LPCM ini jack) 20 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl s Yes 84 kWh/1000h	/WAV/MP4AAC/FLAC/JPE				
Network Specs Convenience features Control Specs Inputs and Dutputs Design features Accessories Environment	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. On-Mode Power 1000h SDR (Lot 5) Rated Power Consumption	MOV:AVC,MPEG4,MotionJp MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm / 23 ^{5/8} x 15 ^{3/4} inch No 154 kWh/1000h	eg/MKV:Xvid,AVC,MPEG4,VP8 400 x 400 mm / 15 ^{3/4} x 15 ^{3/4} inch No 151 kWh/1000h	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDMI1/2/3/4) 1 (Side, M 4 (4Side) 1 (Side) 1 (Side) 2 (Side) 3 (Side) 1 (Side) 3 (Side) 1 (Side) 1 (Side) 2 (Side) 1 (Side) 3 (Side)	4,AVC/MP3/ASF (WMA)/LPCM ini jack) 20 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl s Yes 84 kWh/1000h	/WAV/MP4AAC/FLAC/JPE				
Network Specs Convenience features Control Specs Inputs and Dutputs Design features Accessories Environment Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. On-Mode Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode	MOV:AVC,MPEG4,MotionJp MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm / 23 ^{5/8} x 15 ^{3/4} inch No 154 kWh/1000h 505 W 2199 x 1255 x 85 mm / 86 ^{5/8} x 49 ^{1/2} x 3 ^{3/8} inch	eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG- Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDM11/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side) 1 (Side) 3 (Side) 1 (Side) 3 (Side) 1 (Side) 2 (Side) 1 (Side) 3 (Side) 1 (Side) 2 (Side) 1 (Side) 3 (Side) 1 (Side) 2 (Side) 1 (Side) 3 (Side) 1 (Side) 3 (Side) 1 (Side) 1 (Side) 3 (Side) 1 (Side) 1 (Side) 3 (Side) 1 (Side) 1 (Side) 1 (Side) 1 (Side) 2 (Side) 1 (Side) 1 (Side) 2 (Side) 2 (Side) 1 (Side) 2 (Side) 1 (Side) 2 (Side) 2 (Side) 1 (Side) 2 (Side)	4,AVC/MP3/ASF (WMA)/LPCM ini jack) 00 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl s Yes 84 kWh/1000h 229 W 1462 x 842 x 71 mm / 57 ^{5/8} x 33 ^{1/8} x 2 ^{7/8} inch	/WAV/MP4AAC/FLAC/JPEr				
Network Specs Convenience features Control Specs Inputs and outputs Design features	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) "depending on the region. Table-top stand (Optional) "depending on the region. On-Mode Power I000h SDR (Lot 5) Rated Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)	MOV:AVC,MPEG4,MotionJp MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm / 23 ^{5/8} x 15 ^{3/4} inch 0 154 kWh/1000h 505 W 2199 x 1255 x 85 mm / 86 ^{5/8} x 49 ^{1/2} x 3 ^{3/8} inch	eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDMI1/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side) 1 (Side) 30 Yes Yes 106 kWh/1000h 299 W 0.5 W Yes 1686 x 969 x 72 mm / 66 ^{1/2} x 38 ^{1/4} x 2 ^{7/8} inch	4,AVC/MP3/ASF (WMA)/LPCM ini jack) 20 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl s Yes 84 kWh/1000h 229 W 1462 x 842 x 71 mm / 57 ^{5/8} x 33 ^{1/4} x 2 ^{7/8} inch 1462 x 912 x 338 mm / 57 ^{5/8} x 13 ^{3/8} inch 1588 x 965 x 184 mm /	//WAV/MP4AAC/FLAC/JPEC				
Network Specs Convenience features Control Specs Inputs and Dutputs Design features Accessories Environment Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. On-Mode Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Modee Dimension of TV without Stand (W x H x D) Dimension of TV with Stand (W x H x D)	MOV:AVC,MPEG4,MotionJp MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm / 23 ^{3/8} x 15 ^{3/4} inch 600 x 400 mm / 23 ^{3/8} x 15 ^{3/4} inch 23 ^{3/8} x 15 ^{3/4} inch	400 x 400 mm / 15 ^{3/4} x 15 ^{3/4} inch 15 ^{3/4} x 15 ^{3/4} inch 15 ^{1/4} x 15 ^{3/4} inch 151 kWh/1000h 373 W 1899 x 1089 x 71 mm / 74 ^{7/8} x 42 ^{7/8} x 2 ^{7/8} inch - 2036 x 1239 x 258 mm / 80 1/4 x 48 ^{7/8} x 10 ^{1/4} inch	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG- Yes Yes Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDM11/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side) 1 (Side) 3(Yes Yes 106 kWh/1000h 299 W 0.5 W Yes Yes 1666 × 969 x 72 mm / 66 ^{1/2} x 38 ^{1/4} x 2 ^{1/8} inch	4,AVC/MP3/ASF (WMA)/LPCM ini jack) 20 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl s Yes 84 kWh/1000h 229 W 1462 x 842 x 71 mm / 57 ^{5/8} x 33 ^{1/4} x 2 ^{7/8} inch 1462 x 912 x 33 ⁸ mm / 57 ^{5/8} x 36 x 13 ^{3/8} inch 1588 x 965 x 184 mm / 62 ^{5/8} x 38 x 7 ^{1/4} inch	//WAV/MP4AAC/FLAC//PEG				
Network Specs Convenience eatures Control Specs nputs and outputs Design features Accessories Environment Specs	On-board Storage (GB) Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. On-Mode Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)	MOV:AVC,MPEG4,MotionJp MOV:AVC,MPEG4,MotionJp Hybrid w/S-Center Speaker Input x1 (Side, Mini jack) 600 x 400 mm / 23 ^{5/8} x 15 ^{3/4} inch 0 154 kWh/1000h 505 W 2199 x 1255 x 85 mm / 86 ^{5/8} x 49 ^{1/2} x 3 ^{3/8} inch	eg/MKV:Xvid,AVC,MPEG4,VP8	32GB Yes Yes Integrated D):MPEG2,AVC/MP4 (XAVC S):A HEVC/WEBM:VP8/3GPP:MPEG4 Yes Yes Yes Yes Yes Yes Yes HDCP2.3 (for HDMI1/2/3/4) 1 (Side, M 4 (4Side) 1 (Side Analog Conversion) 1 (Side) 2 (Side) 1 (Side) 30 Yes Yes 106 kWh/1000h 299 W 0.5 W Yes 1686 x 969 x 72 mm / 66 ^{1/2} x 38 ^{1/4} x 2 ^{7/8} inch	4,AVC/MP3/ASF (WMA)/LPCM ini jack) 20 x 300 mm / 11 ^{7/8} x 11 ^{7/8} incl s Yes 84 kWh/1000h 229 W 1462 x 842 x 71 mm / 57 ^{5/8} x 33 ^{1/4} x 2 ^{7/8} inch 1462 x 912 x 338 mm / 57 ^{5/8} x 13 ^{3/8} inch 1588 x 965 x 184 mm /	/WAV/MP4AAC/FLAC/JPEd //WAV/MP4AAC/FLAC/JPEd ////////////////////////////////////				

BZ35L-series Specifications

		FW-85BZ35L	FW-75BZ35L	FW-65BZ35L	FW-55BZ35L						
	Screen Size	85	75	65	55						
	Brightness (cd/m ²)		55		1						
	Contrast Ratio	6000:1		1200:1							
General features	Dynamic Contrast Ratio	400,000:1									
	Response Time (ms)	15.9 8.0									
	Display resolution (H x V, pixels)	3840 x 2160									
	HDR (High Dynamic Range) compatiblity	Yes (HDR10,HLG,Dolby Vision)									
	Aspect Ratio	16:9									
	Portrait/Tilt Compatibility	Yes									
	Dimming type	Frame Dimming LCD									
	Display Device Panel Type	VA IPS									
	Backlight type	Direct LED									
	TRILUMINOS Display	TRILUMINOS PRO									
	Color gamut (DCI-P3)	92%									
Display features	Picture Processor	92% 4K HDR Processor X1									
I	Operation time	24/7									
I	Deep Black Non-Glare coating	24/7 No									
l	Haze (%)	2% 1%									
I	Viewing Angle (Right/Left)		178 (89/8	9) degree							
	Viewing Angle (Up/Down)		178 (89/8								
	Video Processing		4K X-Rea	· · · · · · · · · · · · · · · · · · ·							
Video Specs	Motion enhancer		Motionflow XR 2	· /							
	HDMI Signal	4096x2160p (24,	60Hz), 3840x2160p (24,30,60Hz), 1080		4,30,60Hz), 480p						
Audio Specs	Speaker Position		Down	-							
	Audio Power Output Pro mode		10W +								
	HDMI auto wake-up										
Drofossional	HTML5 platform	Yes Vac									
Professional features	Multicast/IPTV	Yes Yes									
	Operating System	Yes Android TV									
	On-board Storage (GB)		320	GB							
	Wi-Fi Direct	Yes									
Network Specs	Wi-Fi Certified	Yes									
	Wireless LAN		Integ	rated							
	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG									
	On Screen Clock	Yes									
Convenience features	Sleep Timer		Ye	25							
leatures	On/Off Timer		Ye	25							
	Chromecast built-in	Yes									
	Apple AirPlay				Yes						
	IP Control	Yes									
Control Specs	RS-232C Control	Yes									
	HDMI-CEC HDCP	Yes									
	HDGI	HDCP2.3(for HDM11/2/3/4) 1 (Side, Mini jack)									
	Composite Video Input (s)		Ye HDCP2.3(for H	25 25 1DMI1/2/3/4)							
	Composite Video Input (s) HDMI inputs total		Ye HDCP2.3(for H 1 (Side, N	es es HDMI1/2/3/4) lini jack)							
Inputs and	HDMI inputs total		Ye HDCP2.3(for H	is Is IDM11/2/3/4) Iini jack) iide)							
Inputs and outputs			Ye HDCP2.3(for k 1 (Side, N 4 (45	is IS IDM1/2/3/4) Iini jack) Iide) g Conversion)							
	HDMI inputs total Analog Audio Input (s) (Total)		Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analog	is IDM1/2/3/4) Iini jack) Iide) g Conversion) de)							
	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s)		Ye HDCP2.3(for ł 1 (Side, N 4 (45 1 (Side Analog 1 (Side Analog 1 (Sid	is IDM1/2/3/4) Iini jack) Iide) g Conversion) de) de)							
	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports	400 x 400 mm / 15 ³⁴ x 15 ³⁴ inch	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analog 1 (Side Analog 2 (S	is IDM1/2/3/4) Iini jack) Iide) g Conversion) de) de)							
oùtputs Design features	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled)	400 x 400 mm / 15 ³⁴ x 15 ³⁴ inch	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analog 1 (Side Analog 2 (S	is is IDMI1/2/3/4) Iini jack) iide) g Conversion) de) de) de) de) 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch							
outputs	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional)	400 x 400 mm / 15 ^{3/4} x 15 ^{3/4} inch	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analog 1 (Si 2 (S 1 (Si 1 (Si 2 (S 1 (Si 2 (S 1 (Si 2 (S) 1 (S) 2 (S) 1 (Si 2 (S) 1 (S) 2 (S) 1 (S) 2	es HDM1/2/3/4) Hini jack) Hini jack) Hide) g Conversion) de) de) de) de) 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch es	25						
oùtputs Design features	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional) *depending on the region.	15 ^{3/4} x 15 ^{3/4} inch	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analos 1 (Si 2 (S 1 (Si 1 (Si 2 (S 1 (Si 2 (S 2 (S 1 (Si 2 (S 1 (Si 2 (S) 1 (S) 2 (S) 1 (Si 2 (S) 1 (S) 2 (S) 1 (S) 2 (S) 1 (S) 2 (S) 2 (S) 1 (S) 2 (S	is is HDM1/2/3/4) fini jack) ide) g Conversion) de) de) de) 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch is	r						
oùtputs Design features	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional)	15 ^{3/4} x 15 ^{3/4} inch	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analog 1 (Si 2 (S 1 (Si 1 (Si 2 (S 1 (Si 2 (S 1 (Si 2 (S) 1 (S) 2 (S) 1 (Si 2 (S) 1 (S) 2 (S) 1 (S) 2	es HDM1/2/3/4) Hini jack) Hini jack) Hide) g Conversion) de) de) de) de) 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch es	es 71 kWh/1000h 169 W						
oùtputs Design features Accessories Environment	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional) *depending on the region. On-Mode Power 1000h SDR (Lot 5)	15 ^{3/4} x 15 ^{3/4} inch N 135 kWh/1000h	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analog 1 (Side Analog 1 (Si 2 (S 1 (Si 1 (Si 9 1 (Si 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	es 45 HDM11/2/3/4) 10in jack) 10id jac	71 kWh/1000h						
oùtputs Design features Accessories	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional) *depending on the region. On-Mode Power 1000h SDR (Lot 5) Rated Power Consumption	15 ^{3/4} x 15 ^{3/4} inch N 135 kWh/1000h	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analog 1 (Side Analog 1 (Side Analog 2 (S 1 (Side Analog 2 (S 1 (Side Analog 1 (Side	es HDMI1/2/3/4) Hini jack) Hini Hini Hini Hini Hini Hini Hini Hini	71 kWh/1000h						
oùtputs Design features Accessories Environment	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional) *depending on the region. On-Mode Power 1000h SDR (Lot 5) Rated Power Consumption Power Consumption (in Standby)	15 ^{3/4} x 15 ^{3/4} inch N 135 kWh/1000h	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analog 2 (5 2 (5 1 (Side Analog 2 (5 1 (Side Analog 2 (5 2 (5 1 (Side Analog 2 (5 2 (5) 2 (5) 9	es HDMI1/2/3/4) HDMI1/2/3/4) Hini jack) Hini jack) Gonversion) de) de) de) de) 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch es Y 85 kWh/1000h 218 W W	71 kWh/1000h						
oùtputs Design features Accessories Environment	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional) *depending on the region. On-Mode Power 1000h SDR (Lot 5) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control	15 ^{3/4} x 15 ^{3/4} inch N 135 kWh/1000h	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analog 1 (Side Analog 2 (S 1 (Side Analog 2 (S 1 (Side Analog 2 (S 2 (S 2 (S) 1 (Side Analog 2 (S) 2 (es HDMI1/2/3/4) HDMI1/2/3/4) Hini jack) Hini jack) Gonversion) de) de) de) de) 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch es Y 85 kWh/1000h 218 W W	71 kWh/1000h						
oùtputs Design features Accessories Environment	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional) *depending on the region. On-Mode Power 1000h SDR (Lot 5) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode	15 ^{3/4} x 15 ^{3/4} inch N 135 kWh/1000h 323 W 1899 x 1089 x 71 mm /	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analos 1 (Side Analos 2 (S 1 (Side Analos 2 (S) 2	es HDMI1/2/3/4) HDMI1/2/3/4) Hini jack) Hini jack) Hide) g Conversion) de) de) de) de) de) 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch es 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch es 400 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch es 1462 x 842 x 71 mm / 57 ^{5/8} x 33 ^{1/4} x 2 ^{7/8} inch 1462 x 912 x 338 mm /	71 kWh/1000h 169 W 1243 x 721 x 71 mm / 49 x 28 ¹² x 2 ⁷⁶ inch 1243 x 787 x 338 mm /						
oùtputs Design features Accessories Environment Specs	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional) *depending on the region. On-Mode Power 1000h SDR (Lot 5) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)	15 ^{3/4} x 15 ^{3/4} inch N 135 kWh/1000h 323 W 1899 x 1089 x 71 mm / 74 ^{7/8} x 42 ^{7/8} x 2 ^{7/8} inch - 2036 x 1239 x 258 mm /	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analos 1 (Side Analos 2 (S 1 (Side Analos 2 (S) 1 (S)	es es HDMI1/2/3/4) Hini jack) Hini jack) de) g conversion) de) de) 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch es Y 85 kWh/1000h 218 W W V 85 kWh/1000h 218 W W S5 1462 x 842 x 71 mm / 57 ^{5/8} x 33 ^{1/4} x 2 ^{7/8} inch 1462 x 912 x 338 mm / 57 ^{5/8} x 36 x 13 ^{3/8} inch 1588 x 965 x 184 mm /	71 kWh/1000h 169 W 1243 x 721 x 71 mm / 49 x 28 ^{1/2} x 2 ^{1/8} inch 1243 x 787 x 338 mm / 49 x 31 x 13 ^{3/8} inch 1362 x 840 x 160 mm /						
oùtputs Design features Accessories Environment Specs	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional) *depending on the region. On-Mode Power 1000h SDR (Lot 5) Rated Power Consumption Power Consumption Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D) Dimension of Package Carton (W x H x D)	15 ^{3/4} x 15 ^{3/4} inch N 135 kWh/1000h 323 W 1899 x 1089 x 71 mm / 74 ^{7/8} x 42 ^{7/8} x 2 ^{7/8} inch - 2036 x 1239 x 258 mm / 80 ^{1/4} x 48 ^{7/8} x 10 ^{1/4} inch	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analog 1 (Side Analog 2 (S 1 (Side Analog 2 (S) 1 (Side Anal	es es HDMI1/2/3/4) Hini jack) Hini jack) Goversion) de) de) de) 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch es 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch es Y 85 kWh/1000h 218 W W W V es es 1462 x 842 x 71 mm / 57 ^{5/8} x 33 ^{1/4} x 2 ^{7/8} inch 1462 x 912 x 338 mm / 57 ^{5/8} x 33 x 7 ^{1/4} inch	71 kWh/1000h 169 W 1243 x 721 x 71 mm / 49 x 28 ^{1/2} x 2 ^{1/8} inch 1243 x 787 x 338 mm / 49 x 31 x 13 ^{3/8} inch 1362 x 840 x 160 mm / 53 ^{5/8} x 33 ^{1/8} x 6 ^{3/8} inch						
oùtputs Design features Accessories Environment Specs	HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs VESA® Hole Pitch (W x H) Wall-mount adjuster (Bundled) *depending on the region. Table-top stand (Optional) *depending on the region. On-Mode Power 1000h SDR (Lot 5) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)	15 ^{3/4} x 15 ^{3/4} inch N 135 kWh/1000h 323 W 1899 x 1089 x 71 mm / 74 ^{7/8} x 42 ^{7/8} x 2 ^{7/8} inch - 2036 x 1239 x 258 mm /	Ye HDCP2.3(for H 1 (Side, N 4 (45 1 (Side Analos 1 (Side Analos 2 (S 1 (Side Analos 2 (S) 1 (S)	es es HDMI1/2/3/4) Hini jack) Hini jack) de) g conversion) de) de) 300 x 300 mm / 11 ^{7/8} x 11 ^{7/8} inch es Y 85 kWh/1000h 218 W W V 85 kWh/1000h 218 W W S5 1462 x 842 x 71 mm / 57 ^{5/8} x 33 ^{1/4} x 2 ^{7/8} inch 1462 x 912 x 338 mm / 57 ^{5/8} x 36 x 13 ^{3/8} inch 1588 x 965 x 184 mm /	71 kWh/1000h 169 W 1243 x 721 x 71 mm / 49 x 28 ^{1/2} x 2 ^{1/8} inch 1243 x 787 x 338 mm / 49 x 31 x 13 ^{3/8} inch 1362 x 840 x 160 mm /						

BZ30L-series Specifications Complete

		FW-85BZ30L	FW-75BZ30L	FW-65BZ30L	FW-55BZ30L	FW-50BZ30L	FW-43BZ30L			
	Screen Size	85	75	65	55	50	43			
	Brightness (cd/m²)			44	10					
	Contrast Ratio	6000:1		1200:1		5000:1	1200:1			
General features	Dynamic Contrast Ratio			300,000:1			400,000:1			
	Response Time (ms)	15.9	9.5	8.0						
	Display resolution (H x V, pixels)	3840 x 2160								
	HDR (High Dynamic Range) compatiblity	Yes (HDR10,HLG,Dolby Vision)								
	Aspect Ratio			16	:9					
	Portrait/Tilt Compatibility	16:9 Yes								
	Dimming type	Frame Dimming								
Display	Display Device	LCD								
	Panel Type	VA	VA	IPS						
	Backlight type			Direc	t LED					
	TRILUMINOS Display	TRILUMINOS PRO								
	Color gamut (DCI-P3)	92%								
features	Picture Processor	4K HDR Processor X1								
	Operation time	24/7								
	Deep Black Non-Glare coating	No								
	Haze (%)	2%			1%					
	Viewing Angle (Right/Left)			178 (89/8						
	Viewing Angle (Up/Down)			178 (89/8						
	Video Processing			4K X-Rea						
	Motion enhancer			Motionflow XR 2	40 (Native 60Hz)					
Video Specs	HDMI Signal	4096 x 2160p (24, 60Hz), 3840 x 2160p (24, 30, 60Hz), 1080p (24, 30,60Hz), 1080i (60Hz), 720p (24,30,60Hz), 480p								
Audio Specs	Speaker Position			Down	Firing					
Audio specs	Audio Power Output			10W -	+ 10W					
	Pro mode			Ye	25					
	HDMI auto wake-up			Ye	25					
Professional	HTML5 platform			Ye	25					
features	Multicast/IPTV			Ye	25					
	Operating System			Andro	pid TV					
	On-board Storage (GB)			16	GB					
	Wi-Fi Direct			Ye	25					
Network Specs	Wi-Fi Certified			Ye	25					
	Wireless LAN USB playback codecs	Integrated MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS (HDV,AVCHD):MPEG2,AVC/MP4 (XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF (WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF (WMA)/LPCM/WAV/ MP4AAC/FLAC/JPEG								
Convenience	On Screen Clock	Yes								
features	Sleep Timer	Yes								
	On/Off Timer	Yes								
	Chromecast built-in	Yes								
	Apple AirPlay	Yes								
Control Specs	IP Control RS-232C Control	Yes								
control specs	HDMI-CEC	Yes								
	HDCP	Yes HDCP2 3 (for HDMI1/2/3/4)								
	Composite Video Input (s)	HDCP2.3 (for HDMI1/2/3/4) 1 (Side, Mini jack)								
	HDMI inputs total	1 (Side, Mini jack) 4 (4Side)								
Inputs and	Analog Audio Input (s) (Total)	4 (4500) 1 (Side Analog Conversion)								
outputs	Digital Audio Output (s)	1 (Side Analog Conversion) 1 (Side)								
	USB ports	2 (Side)								
	Ethernet inputs	1 (Side)								
Design	VESA® Hole Pitch (W x H)	400 x 400 mm /	200	x 300 mm / 11 ^{7/8} x 11 ^{7/8}		200 × 200 mm	/ 7 ^{7/8} x 7 ^{7/8} inch			
features	Wall-mount adjuster (Bundled) *depending on the region.	400 x 400 mm/ / 15 ^{3/4} x 15 ^{3/4} inch 300 x 300 mm / 11 ^{1/8} x 11 ^{1/8} inch 200 x 200 mm / 7 ^{1/8} x 7 ^{1/8} inch Yes								
Accessories	Table-top stand (Optional)	N	0	Yes						
	*depending on the region.									
	On-Mode Power 1000h SDR (Lot 5)	128 kWh/1000h	142 kWh/1000h	113 kWh/1000h	92 kWh/1000h	71 kWh/1000h	54 kWh/1000h			
		248 W	306 W	230 W	202 W	140 W				
_ ·	Rated Power Consumption	240 11			14/		103 W			
Environment specs	Power Consumption (in Standby)	240 W		0.5			103 W			
Environment specs	Power Consumption (in Standby) Dynamic Backlight Control			0.5 Ye			103 W			
	Power Consumption (in Standby)				25		103 W			
	Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light	1899 x 1089 x 71 mm / 74 ^{7/8} x 42 ^{7/8} inch		Ye	25	1126 x 653 x 70 mm / 44 ³⁷⁸ x 25 ³⁷⁴ x 2 ⁷⁷⁸ inch	103 W 972 x 567 x 70 mm / 38 ^{3/8} x 22 ^{3/8} x 2 ^{7/8} inch			
	Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand	1899 x 1089 x 71 mm /		Yu Yu 1462 x 842 x 71 mm /	25 1243 x 721 x 71 mm /	1126 x 653 x 70 mm /	972 x 567 x 70 mm /			
specs	Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand $(W \times H \times D)$ Dimension of TV with Stand $(W \times H \times D)$ Dimension of Package Carton	1899 x 1089 x 71 mm / 74 ¹⁷⁸ x 42 ¹⁷⁸ x 2 ¹⁷⁶ inch 2036 x 1239 x 258 mm /	66 ^{1/2} x 38 ^{1/4} x 2 ^{7/8} inch	Ye 1462 x 842 x 71 mm / 57 ⁵⁶ x 33 ¹⁶ x 2 ⁷⁶ inch 1462 x 912 x 338 mm / 57 ⁵⁷⁸ x 36 x 13 ³⁷⁸ inch 1588 x 965 x 184 mm /	25 1243 x 721 x 71 mm / 49 x 28 ^{1/2} x 2 ^{1/8} inch 1243 x 787 x 338 mm / 49 x 31 x 13 ^{3/6} inch 1362 x 840 x 160 mm /	1126 x 653 x 70 mm / 44 ³⁴ x 25 ³⁴ x 2 ⁷² inch 1126 x 718 x 28 ³⁶ x 11 ³⁸ inch 1240 x 782 x 141 mm /	972 x 567 x 70 mm / 38 ³⁴ x 22 ³⁴ x 2 ⁷¹⁸ inch 972 x 632 x 286 mm / 38 ³⁴⁸ x 25 x 11 ³⁴⁸ inch 1070 x 695 x 141 mm /			
specs	Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand $(W \times H \times D)$ Dimension of TV with Stand $(W \times H \times D)$ Dimension of Package Carton $(W \times H \times D)$	1899 x 1089 x 71 mm / 74 ^{1/8} x 42 ^{1/8} x 2 ^{1/8} inch 2036 x 1239 x 258 mm / 80 ^{1/4} x 48 ^{1/8} x 10 ^{1/4} inch	66 ^{1/2} x 38 ^{1/4} x 2 ^{7/8} inch 1824 x 1114 x 187 mm / 71 ^{7/8} x 43 ^{7/8} x 7 ^{3/8} inch	Ye 1462 x 842 x 71 mm / 57 ^{5/8} x 33 ¹⁴ x 2 ⁷⁸ inch 1462 x 912 x 338 mm / 57 ^{5/8} x 36 x 13 ^{3/8} inch 1588 x 965 x 184 mm / 62 ^{5/8} x 38 x 7 ¹⁴ inch	25 1243 x 721 x 71 m / 49 x 28 ^{1/2} x 2 ^{1/8} inch 1243 x 787 x 338 mm / 49 x 31 x 13 ^{3/8} inch 1362 x 840 x 160 mm / 53 ^{5/8} x 33 ^{1/8} x 6 ^{3/8} inch	1126 x 653 x 70 mm / 44 ^{3/8} x 25 ^{3/4} x 2 7 ⁷⁶ inch 1126 x 718 x 28 ^{3/8} x 11 ^{3/8} inch 1240 x 782 x 141 mm / 48 ^{7/8} x 30 ^{7/8} x 5 ^{5/8} inch	972 x 567 x 70 mm / 38 ³⁴ x 22 ³⁴ x 22 ¹⁶ inch 972 x 632 x 286 mm / 38 ³⁴⁶ x 25 x 11 ^{3/8} inch 1070 x 695 x 141 mm / 42 ¹⁴ x 27 ³⁴⁸ x 5 ⁵⁴⁸ inch			
specs	Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand $(W \times H \times D)$ Dimension of TV with Stand $(W \times H \times D)$ Dimension of Package Carton $(W \times H \times D)$ Weight of TV without Stand	1899 x 1089 x 71 mm / 74 ¹⁷⁸ x 42 ¹⁷⁸ x 2 ¹⁷⁶ inch 2036 x 1239 x 258 mm /	66 ^{1/2} x 38 ^{1/4} x 2 ^{7/8} inch	Ye 1462 x 842 x 71 mm / 57 ^{5/8} x 33 ^{1/4} x 2 ^{7/8} inch 1462 x 912 x 338 mm / 1462 x 912 x 338 mm / 1588 x 965 x 184 mm / 62 ^{5/8} x 38 x 7 ^{1/4} inch 21.2 kg / 46.7 lb	25 1243 x 721 x 71 mm / 49 x 28 ^{1/2} x 2 ^{1/8} inch 1243 x 787 x 338 mm / 49 x 31 x 13 ^{3/8} inch 1362 x 840 x 160 mm / 53 ^{5/8} x 33 ^{1/8} x 6 ^{3/8} inch 15.7 kg / 34.6 lb	1126 x 653 x 70 mm / 44 ^{3/8} x 25 ^{3/4} x 2 ^{7/8} inch 1126 x 718 x 286 mm / 44 3/8 x 28 ^{3/8} x 11 ^{3/8} inch 1240 x 782 x 141 mm / 48 ^{7/8} x 30 ^{7/8} x 5 ^{5/8} inch 12.3 kg / 27.1 lb	972 x 567 x 70 mm / 38 ^{3/8} x 22 ^{3/8} x 2 ^{7/8} inch 972 x 632 x 286 mm / 38 ^{3/8} x 25 x 11 ^{3/8} inch 1070 x 695 x 141 mm / 42 ^{1/4} x 27 ^{3/8} x 5 ^{5/8} inch 10 kg / 22.1 lb			
specs	Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand $(W \times H \times D)$ Dimension of TV with Stand $(W \times H \times D)$ Dimension of Package Carton $(W \times H \times D)$	1899 x 1089 x 71 mm / 74 ^{1/8} x 42 ^{1/8} x 2 ^{1/8} inch 2036 x 1239 x 258 mm / 80 ^{1/4} x 48 ^{1/8} x 10 ^{1/4} inch	66 ^{1/2} x 38 ^{1/4} x 2 ^{7/8} inch 1824 x 1114 x 187 mm / 71 ^{7/8} x 43 ^{7/8} x 7 ^{3/8} inch	Ye 1462 x 842 x 71 mm / 57 ^{5/8} x 33 ¹⁴ x 2 ⁷⁸ inch 1462 x 912 x 338 mm / 57 ^{5/8} x 36 x 13 ^{3/8} inch 1588 x 965 x 184 mm / 62 ^{5/8} x 38 x 7 ¹⁴ inch	25 1243 x 721 x 71 m / 49 x 28 ^{1/2} x 2 ^{1/8} inch 1243 x 787 x 338 mm / 49 x 31 x 13 ^{3/8} inch 1362 x 840 x 160 mm / 53 ^{5/8} x 33 ^{1/8} x 6 ^{3/8} inch	1126 x 653 x 70 mm / 44 ^{3/8} x 25 ^{3/4} x 2 7 ⁷⁶ inch 1126 x 718 x 28 ^{3/8} x 11 ^{3/8} inch 1240 x 782 x 141 mm / 48 ^{7/8} x 30 ^{7/8} x 5 ^{5/8} inch	972 x 567 x 70 mm / 38 ^{3/8} x 22 ^{3/8} x 2 ^{7/8} inch 972 x 632 x 286 mm / 38 ^{3/8} x 25 x 11 ^{3/8} inch 1070 x 695 x 141 mm / 42 ^{1/4} x 27 ^{3/8} x 5 ^{5/8} inch			

Prime Support

You've got our support

Our 3 Year After-sales service package comes as standard





EU wide professional "ELITE" Helpdesk available Mon-Fri 9am-6pm

Advanced Exchange of the display in 4-7 days

Onsite Tech-assistance: technician removes original unit, installs replacement, and ships non-working unit to Sony

Faulty displays are recycled as part of our Road to Zero initiative

3 years as standard. +2 years extensions available (up to 30,000hrs)

Even greater peace of mind

Expanded after-sales care options for BRAVIA Professional Displays



PrimeSupport Pro

Find your local telephone number to contact our PrimeSupport Helpdesk on our website pro.sony/support-services/support-contact-us Monday to Friday 09:00 - 18:00 (Central European Time), excluding local national holidays. Support is available in English, French, Italian, German and Spanish.

Optional PrimeSupport Pro packs can be purchased to add a 2-year extension to the standard 3-year PrimeSupport, and to give long-term assurance of expert support and technical assistance for a total of 5 years from the purchase date.

For full information and pricing details, please get in touch with your Sony team or email primesupport@sony.com


Our extended PrimeSupport package options

can be found in the below matrix for each model or series.

gettyimages

PSP Package Name	Included	PSP. PROBRAVIA1. PC2	PSP. PROBRAVIA2. PC2	PSP. PROBRAVIA3. PC2	PSP. PROBRAVIA4. PC2	PSP. PROBRAVIA5. PC2	PSP. PROBRAVIA6. PC2	PSP. PROBRAVIA7 PC2	
Price Band	N/A	1	2	3	4	5	6	7	
Service Level		0 el 19 e e e		e helpdesk hours (N		'	in almala all'		
Service Duration	3 Years Total	Advanced		new or refurbished ear PrimeSupportPr		-			
Service Duration	5 Tears Total		т2 у		series	s lotal of 50,000 ll	ours.		
	All Models	FW-43BZ30L	FW-55BZ35L	FW-75BZ30L	FW-75BZ40L	FW-85BZ40L		FW-98BZ50L	
		FW-32BZ30J	FW-55BZ30L	FW-65BZ40L	FW-75BZ35L	FW-85BZ35L			
			FW-50BZ30L	FW-65BZ35L		FW-85BZ30L			
				FW-65BZ30L					
				FW-55BZ40L					
					_ Series				
	All Models	FWD-43X80L	FWD-55X80L	FWD-75X80L	FWD-55A80L	FWD-65A95L	FWD-77A80L	FWD-98X90	
		FWD-50X80L	FWD-65X80L	FWD-85X80L	FWD-55A95L	FWD-75X95L	FWD-77A95L		
				FWD-65X95L	FWD-65A80L		FWD-83A80L		
							FWD-85X95L		
		BZ (Legacy)							
	All Models	FW-32BZ30J	FW-43BZ35J	FW-65BZ40H	FW-75BZ40H	FW-85BZ35F		FW-100BZ40	
		FW-43BZ30J	FW-50BZ30J	FW-65BZ30J		FW-85BZ40H			
			FW-50BZ35J	FW-75BZ30J					
			FW-55BZ30J						
Model Range			FW-55BZ40H						
				Tuner (Legacy)				
	All Models	FWD-43X80J	FWD-43X80K	FWD-42A90K	FWD-65A80K	FWD-65A95K	FWD-75Z9K	FWD-85Z9k	
		FWD-32W800	FWD-50X80K	FWD-55A80K	FWD-55A95K	FWD-65X95K	FWD-75X95K		
		FWD-49X80H	FWD-55X80K	FWD-75X80K / FWD-75X81K	FWD-55A90J	FWD-85X85K	FWD-77A80K		
		FWD-43X80H	FWD-50X80J	FWD-48A90K	FWD-75X95J	FWD-65A90J	FWD-85X95K		
			FWD-55X80J	FWD-65X80K	FWD-65A80J	FWD-77A80J	FWD-75Z9J		
			FWD-65X80J	FWD-55A80J	FWD-85X85J	FWD-85X95J	FWD-83A90J		
				FWD-65X95J	FWD-65A8	FWD-75X80H	FWD-85Z9J		
				FWD-75X81J	FWD-85X90H		FWD-85X80H		
				FWD-48A9					
				FWD-55X80H					
				FWD-55A8					
				FWD-65X80H					
				FWD-65X90H					
				FWD-75X90H					
				FWD-75X905H					

BRAVIA Professional Alliance Partners




Discover how we work closely with top companies to add even more value to our industry-leading AV products and solutions. Our BRAVIA Professional Displays support a growing ecosystem of compatible technologies from established and emerging solution providers.

Whether it's configuring a digital signage network, connecting participants using video collaboration, or outfitting a room for device management and automation, we are committed to helping you.

Visit : pro.sony/Alliances

Business Applications



© 2023 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Apple and AirPlay are trademarks of Apple Inc., registered in the U.S. and other countries and regions. To use Apple AirPlay with this TV, the latest version of iOS, iPadOS, or macOS is recommended.

Google, Android TV and Chromecast built-in are trademarks of Google LLC.



For full features visit : pro.sony/BRAVIA

SONY