


Samsung's QET series features intelligent upscaling technology to ensure all content displayed is in eye-catching UHD resolution. Its powerful Crystal Display and boundless design provide an enthralling viewing experience in any business environment. QET displays are economical and efficient, integrating with Samsung's MagicINFO Lite to provide users with a simple content management solution.

Highlights

- Engage customers with lifelike images through ultra-high definition resolution
- Deliver UHD-level picture quality even with lower resolution content through Crystal Processor 4K supporting innovative UHD upscaling
- Crystal Display allows viewers to enjoy a wider spectrum of colors
- Boundless design blends into any environment allowing viewers to focus on content, not hardware
- Easily manage display content with MagicINFO Lite solution included
- Efficient and economical display providing ultimate value

Consumers demand bigger screens, better picture quality

As visual display technology continues to advance, consumers have raised expectations around the quality of the content they see. It's never been more important for businesses to provide excellent picture quality, no matter the communication channel. To create a more impactful and distinct customer experience for today's consumers, many businesses are looking to deliver content on a grander scale, pushing demand for displays larger than 65-inches higher than it's ever been.



*,** Source : Omdia, Public Displays Market Tracker Q4 2019, January 2020. Revenues in USD Millions. Does Not Include Consumer TVs Used as Public Displays. Not an Endorsement of Samsung Electronics Co. Ltd. Any Reliance on these results is at the third-party's own risk

New QET series meets today's demand

Samsung's superior visual display technology has positioned them as the industry leader in digital signage for a decade*. Samsung has also been the global leader in TV sales for 14 consecutive years according to IHS Markit**. Samsung's new QET series is a result of Samsung's advanced technology expertise and best-in-class picture quality. QET displays are able to upscale low-resolution content to UHD-level picture quality. For commercial displays, this technology advancement means highly visible signage with unmatched accuracy to help capture the attention of potential customers. It also means savings both in cost and time for businesses who can produce content more inexpensively at a lower resolution and still display it in stunning UHD quality. The signage also provides rich and flawless colors, effortless minimalistic style from every angle and a boundless design for delivering an immersive viewing experience. Content can be controlled remotely with Samsung's simple management system, MagicINFO Lite. With industry-leading features and specifications, QET displays are economical and efficient, providing ultimate value to business.









^{*} Results based on IHS Technology report "Public Displays Market Tracker", 2009 – 2018. Information is not an endorsement of Samsung. Any reliance on these results is at the third party's own risk.

^{**} Results based on Omdia, Jan-2020. Ranking in terms of shipments. Results are not an endorsement of Samsung. Any reliance on these results is at the third-party's own risk

Key features




Incredible UHD picture quality

Samsung's new QET series is able to capture customer attention by providing an incredibly clear picture, showcasing lifelike images and intricate details better than ever before thanks to ultra high-definition 4K resolution.




Crystal Display

Samsung's QET series features a Crystal Display which optimizes color tones without distortion, ensuring each backlight unit is fine-tuned to match each color filter and create a clear native white.



Crystal Processor 4K

Samsung's global leadership in display technology and picture quality spans more than a decade. Thanks to superior semi-conductor technology, Samsung has developed the powerful video processor available. Additionally, intelligent UHD upscaling technology is a cutting-edge solution based on Samsung's Crystal Processor 4K that allows content developed at a lower resolution to be elevated to UHD-level quality. It also performs edge restoration and noise reduction to optimize on-screen text and imagery with crisp edges and fine detail.



Boundless design for an immersive experience

The boundless design of the display is optimized to allow the viewer to be completely immersed by content. With a three-sided bezel-less design that eliminates unnecessary and unused space, the display seamlessly integrates into any business environment.



Integrated contents management solution

With a range of on-demand and prescheduled images and videos included in the integrated MagicINFO Lite Player, content management is easier than ever before. Users can also load new content directly from their personal computer through the display's built-in port or simply transfer files with a USB drive.

Specifications

	Model		QE43T	QE50T	QE55T	QE65T	QE70T	QE75T	QE82T
	Diagonal Sizo	Class	43"	50"	55"	65"	70"	75"	82"
Panel	Diagonal Size	Measured	42.5"	49.5"	54.6"	64.5"	69.5"	74.5"	81.5"
	Туре		Direct LED BLU	Direct LED BLU	Direct LED BLU	Direct LED BLU	Direct LED BLU	Direct LED BLU	Direct LED BLU
	Resolution		UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)
	Pixel Pitch(mm)		0.2451 x 0.2451	0.285375 x 0.285375	0.315 x 0.315	0.372 x 0.372	0.392 x 0.392	0.4296 x 0.4296	0.47025 x 0.47025
	Active Display Area(mm)		941.184 (H) x 529.416 (V)	1095.84 (H) x 616.41 (V)	1209.6(H) x 680.4(V)	1428.48 (H) x 803.52 (V)	1549.44 (H) x 846.72 (V)	1650.24 (H) x 928.26 (V)	1805.76(H) x 1015.74(V)
	Brightness(Typ.)		300	300	300	300	300	300	300
	Contrast Ratio(Typ.)		4000:1	4000:1	4000:1	4000:1	4000:1	4000:1	4000:1
	Viewing Angle(H/V)		178/178	178/178	178/178	178/178	178/178	178/178	178/178
	Response Time(G-to-G) Display Colors		8ms(Typ.) 16.7M	8ms(Typ.) 16.7M	8ms(Typ.) 16.7M	8ms(Typ.) 16.7M	8ms(Typ.) 16.7M	8ms(Typ.) 16.7M	6ms (Typ.) 16.7M
	Color Gamut		72%	72%	72%	72%	72%	72%	72%
	Operation Hour		16/7	16/7	16/7	16/7	16/7	16/7	16/7
	Haze		2%	2%	2%	2%	2%	2%	2%
	Dynamic C/R		MEGA	MEGA	MEGA	MEGA	MEGA	MEGA	MEGA
Dicplay	H-Scanning Frequency		30 ~ 81kHZ	30 ~ 81kHZ	30 ~ 81kHZ	30 ~ 81kHZ	30 ~ 81kHZ	30 ~ 81kHZ	30 ~ 81kHZ
Display	V-Scanning Frequency		48 ~ 75HZ	48 ~ 75HZ	48 ~ 75HZ	48 ~ 75HZ	48 ~ 75HZ	48 ~ 75HZ	48 ~ 75HZ
	Maximum Pixel Freq	uency	594MHz	594MHz	594MHz	594MHz	594MHz	594MHz	594MHz
Sound	Speaker Type		Built in Speaker(10W+10W)	Built in Speaker (10W+10W)	Built in Speaker (10W+10W)	Built in Speaker(10W+10W)	Built in Speaker(10W+10W)	Built in Speaker (10W+10W)	Built in Speaker(10W+10W)
		RGB	-	-	-	-	-	-	-
		VIDEO	HDMI 2.0 (2)	HDMI 2.0 (2)	HDMI 2.0 (2)	HDMI 2.0 (2)	HDMI 2.0 (2)	HDMI 2.0 (2)	HDMI 2.0 (2)
	INPUT	HDCP	HDCP 2.2 Stereo Mini Jack, HDMI/	HDCP 2.2 Stereo Mini Jack, HDMI/	HDCP 2.2 Stereo Mini Jack, HDMI/	HDCP 2.2 Stereo Mini Jack, HDMI/	HDCP 2.2 Stereo Mini Jack, HDMI/	HDCP 2.2 Stereo Mini Jack, HDMI/	HDCP 2.2 Stereo Mini Jack, HDMI/
Connectivity		AUDIO	Audio(Common)	Audio(Common)	Audio(Common)	Audio(Common)	Audio(Common)	Audio(Common)	Audio(Common)
		USB	USB 2.0 x1	USB 2.0 x 1	USB 2.0 x1	USB 2.0 x1	USB 2.0 x 1	USB 2.0 x1	USB 2.0 x 1
		RGB	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		VIDEO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	OUTPUT	AUDIO	Stereo Mini Jack	Stereo Mini Jack	Stereo Mini Jack	Stereo Mini Jack	Stereo Mini Jack	Stereo Mini Jack	Stereo Mini Jack
		Power Out	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		USB	N/A	N/A	N/A	N/A	N/A	N/A RS232C(in) thru stereo	N/A
	EXTERNAL CONTROL		RS232C(in) thru stereo jack, RJ45	RS232C(in) thru stereo jack, RJ45	RS232C(in) thru stereo jack, RJ45	RS232C(in) thru stereo jack, RJ45	RS232C(in) thru stereo jack, RJ45	jack, RJ45	RS232C(in) thru stereo jack, RJ45
Power	Туре		Internal	Internal	Internal	Internal	Internal	Internal	Internal
	Power Supply		AC100 - 240 V~ (+/-10 %),	AC100 - 240 V~ (+/-10 %),	AC100 - 240 V~ (+/-10 %),	AC100 - 240 V~ (+/-10 %),	AC100 - 240 V~ (+/-10 %),	AC100 - 240 V~ (+/-10 %),	AC100 - 240 V~ (+/-10 %),
	Power Consumption	Max[W/h]	50/60 Hz 121	50/60 Hz 149	50/60 Hz 154	50/60 Hz 204	50/60 Hz 242	50/60 Hz 253	50/60 Hz 275
		Typical[W/h]	80	95	105	145	180	171	211
		Rating[W/h]	110	135	140	185	220	230	250
		BTU(Max)	412.6	508.1	525.1	695.6	825.2	862.7	937.8
		Sleep mode	0.5	0.5	0.5	0.5	0.5	0.5	0.5
		Off mode	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Mechanical Spec	Dimension(mm)	Set	963.9 x 558.9 x 59.6	1116.8 x 644.2 x 59.9	1230.5 x 707.2 x 59.9	1449.4 x 830.3 x 59.9	1572.4 x 874.5 x 59.9	1673.2 x 958.2 x 59.9	1829.9 x 1045 x 59.9
	Differsion(IIIII)	Package	1081 x 670 x 143	1264 x 780 x 150	1386 x 843 x 158	1606 x 963 x 184	1746 x 1035 x 190	1840 x 1118 x 198	2033 x 1209 x 290
	Weight (kg)	Set	8.4	11.7	14.1	21.2	25.1	30.9	37.5
	Package		12.1	16.1	19.3	29.4	34.3	41.5	52.1
	VESA Mount Protection Glass		200 X 200	200 X 200	200 X 200	400 X 300	400 X 300	400 X 400	600 X 400
	Stand Type		N/A Foot Stand (Optional)	N/A Foot Stand (Optional)	N/A Foot Stand (Optional)	N/A No	N/A No	N/A No	N/A No
	Bezel Width (Top/Side/Bot) (mm)		3 Bezel-less	3 Bezel-less	3 Bezel-less	3 Bezel-less	3 Bezel-less	3 Bezel-less	3 Bezel-less
	Operating Temperature		0°C~ 40°C	0°C~ 40°C	0°C~ 40°C	0°C~ 40°C	0°C~ 40°C	0°C~ 40°C	0°C~ 40°C
Operation	Humidity		10~80%	10~80%	10~80%	10~80%	10~80%	10~80%	10~80%
			UHD Signage with	UHD Signage with	UHD Signage with	UHD Signage with	UHD Signage with	UHD Signage with	UHD Signage with
Feature	Key		Built-in MagicInfo Lite	Built-in MagicInfo Lite	Built-in MagicInfo Lite	Built-in MagicInfo Lite	Built-in MagicInfo Lite	Built-in MagicInfo Lite	Built-in MagicInfo Lite
	Special	H/W S/W				/(168hrs Clock Keeping), Buil			
			Cortex A72 1.7GHz	Auto Soui Cortex A72 1.7GHz	ce Switching & Recovery, LF Cortex A72 1.7GHz	D Home UI, Button Lock, Ho Cortex A72 1.7GHz	Cortex A72 1.7GHz	al Setting) Cortex A72 1.7GHz	Cortex A72 1.7GHz
		Processor	Quad-Core CPU	Quad-Core CPU	Quad-Core CPU	Quad-Core CPU	Quad-Core CPU	Quad-Core CPU	Quad-Core CPU
		0.61:6.1.11	L1 Instruction Cache : 48KB	L1 Instruction Cache : 48KB	L1 Instruction Cache: 48KB	L1 Instruction Cache: 48KB	L1 Instruction Cache : 48KB	L1 Instruction Cache: 48KB	L1 Instruction Cache : 48KB
		On-Chip Cache Memory	L1 Data Cache : 32KB L2 Cache : 2MB	L1 Data Cache : 32KB L2 Cache : 2MB	L1 Data Cache : 32KB L2 Cache : 2MB	L1 Data Cache : 32KB L2 Cache : 2MB	L1 Data Cache : 32KB L2 Cache : 2MB	L1 Data Cache : 32KB L2 Cache : 2MB	L1 Data Cache : 32KB L2 Cache : 2MB
	Internal Player (Embedded H/W)	Clock Speed	1.7GHz	1.7GHz	1.7GHz	1.7GHz	1.7GHz	1.7GHz	1.7GHz
		Main Memory Interface	2.0GB	2.0GB	2.0GB	2.0GB	2.0GB	2.0GB	2.0GB
			LPDDR41.5GHz 64bit	LPDDR4 1.5GHz 64bit		LPDDR41.5GHz 64bit			LPDDR4 1.5GHz 64bit
		Graphics Storage (FDM)		Graphic re		rt resolution : 3840x2160 (Sc RGB Occupied by O/S, 412GB		ing result.)	
		Multimedia	8GB (3.88GB Occupied by O/S, 4.12GB Available) *Video Decoder : MPEG-1/2/4, H.264, H.264/AVC, UHD H.264/AVC, VC-1, AVS+, HEVC, JPEG, PNG, VP8, VP9 *Audio Decoder: AC3 (DD), MPEG						
		IO Ports	USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0
	Operating System		Tizen 4.0 (VDLinux)	Tizen 4.0 (VDLinux)	Tizen 4.0 (VDLinux)	Tizen 4.0 (VDLinux)	Tizen 4.0 (VDLinux)	Tizen 4.0 (VDLinux)	Tizen 4.0 (VDLinux)
	Safety		60950-1	60950-1	60950-1	60950-1	60950-1	60950-1	60950-1
Certification	EMC		Class B	Class B	Class B	Class B	Class B	Class B	Class B
	Environment		N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Security		-	-	-	-	-	-	-
	Included					ranty Card, Power Cord, Rem			
	Stand		STN-L4355F	STN-L4355F	STN-L4355F	N/A	N/A	N/A	N/A
	Optional	Mount	WMN4070SE	WMN4070SE	WMN4070SE	WMN4277SE	WMN4277SE	WMN4277SE	WMN8200SE
Accessories	Optional								
Accessories	Optional	Specialty Media Player	CML400XK N/A	CML400XK N/A	CML400XK N/A	CML450K N/A	CML450K N/A	CML450K N/A	N/A N/A

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

SMART Signage

 $For more information about Samsung SMART Signage \ QET Series \ Displays, visit www.samsung.com/business \ or www.samsung.com/displaysolutions$

Copyright © 2020 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd. 416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea



