

SPECIFICATIONS


Type	In-ceiling speaker
Power	125W
Loudspeaker	2-way coaxial Mid-bass : 210 mm paper cone, rubber edge Tweeter : 25 mm silk dome, orientation 35° to 40° in all directions
Frequency response (± 3dB)	55 Hz - 20 kHz
Sensitivity	87 dB/1W/1m
Impedance	8 Ohms
Crossover frequency	2550 Hz
Colour	White (ready to paint)

Dimensions	Ø290 x D122 mm
Cut-out dimensions	Ø242 mm
Weight	2,4 kg

Packaging (unit)	Brown cardboard
Dimensions	W330 x H153 x D313 mm
Weight	3,15 kg

Overbox (4 pcs)	Brown cardboard
Dimensions	W660 x H320 x D350 mm
Net / Gross weight	9,1 kg / 13,5 kg

REFERENCES



● WHITE

Version 1 (until end of 2017)
EAN (unit) : 3760221804029
SKU : ELIINIC8WT

Version 2 (from 2018)
EAN (unit) : 3760221804272
SKU : ELIINIC8BWT

EAN (overbox x4) : 3760221804081

In-ceiling and in-wall speakers range

IN-CEILING SPEAKERS



IC 4
In-ceiling speaker



IC 6
In-ceiling speaker



IC 6ST
In-ceiling speaker



IC 8
In-ceiling speaker

IN-WALL SPEAKERS



IW 6
In-wall speaker



IW 8
In-wall speaker



IW 14C
In-wall speaker

ACCESSOIRES



SQ4
Square grill
for IC4 speaker



SQ6
Square grill
for IC6 and IC6ST speakers



SQ8
Square grill
for IC8 speaker



IW6 Back box
Back box
for IW6 speaker



IW8 Back box
Back box
for IW8 speaker